

**NIKOLAI & MERSEREAU, P.A.**  
**900 SECOND AVENUE SOUTH, SUITE 820**  
**MINNEAPOLIS, MN, U.S.A. 55402-3325**  
**Telephone: (612) 339-7461 Facsimile: (612) 349-6556**

**RECEIVED**  
**CENTRAL FAX CENTER**

**NOV 04 2004**

## **FACSIMILE TRANSMISSION**

### **TO:**

**Name:** Examiner J. W. Keenan **Fax No.:** 703-872-9306  
**Firm:** USPTO  
**City:** **State:** **Country:** USA

### **FROM:**

**Name:** C. G. Mersereau **Fax No.:** (612) 349-6556  
**NIKOLAI & MERSEREAU, P.A., 900 Second Ave. S., #820, Minneapolis, MN 55402, U.S.A.**

**DATE:** November 4, 2004 **Time:** 2:00 p.m. **TOTAL PAGES incl. cover sheet:** 12

If you do not receive all pages, please call the Telecopier Operator at (612) 339-7461 ASAP.

This fax transmission is confidential and may be privileged and only is intended for use of the addressee. If you are not the addressee (or a person responsible for delivering this transmission to the addressee), do not use this transmission in any way, but promptly contact the telecopier operator by telephone at (612) 339-7461.

### **Telecopier Operator:**

Barbara L. Davis

### **MESSAGE:**

**BEST AVAILABLE COPY**



INTERNATIONAL CENTRE  
900 SECOND AVENUE SOUTH, SUITE 820  
MINNEAPOLIS, MINNESOTA 55402-3813  
TELEPHONE 612 339-7461  
FACSIMILE 612 349-6556

RECEIVED  
CENTRAL FAX CENTER

NOV 04 2004

November 4, 2004

OUR DOCKET NO. 20010142.ORI

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re App : Claudiu D. Pruteanu et al  
S. N. : 09/844,843 : Art Unit 3652  
Filed : April 27, 2001 : Examiner J. W. Keenan  
Title : AUTOMATED LOADER ARM

-----  
Mail Stop AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a Response Under Rule 37 C.F.R. 1.116 in reply to the Final Office Action dated September 1, 2004 in the above-identified patent application.

The Commissioner is hereby authorized to charge any fees listed in 37 CFR 1.16 and 1.17 which may be required by this paper or credit any overpayment to Deposit Account No. 08-1265.

Yours very truly,

NIKOLAI & MERSEREAU, P.A.

C. G. Mersereau

CGM/bld

Enclosures

RECEIVED  
CENTRAL FAX CENTER

NOV 04 2004

PATENT APPLICATION

OUR DOCKET NO. 20010142.ORI

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Re App : Claudiu D. Pruteanu et al : November 4, 2004  
S. N. : 09/844,843 : Art Unit 3652  
Filed : April 27, 2001 : Examiner J. W. Keenan  
Title : AUTOMATED LOADER ARM

-----

Mail Stop AF  
Commissioner for Patents  
P.O. BOX 1450  
Alexandria, VA 22313-1450

AMENDMENT UNDER 37 C.F.R. 1.116

Dear Sir:

This paper is submitted in response to a Final Official Action dated September 1, 2004, which carried the normal shortened-statutory period for response of three months so that a reply would be due by December 1, 2004.

It is requested that the following amendments to the claims be entered:

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**